

# An introduction to Lertap 5.10

A glimpse of the key features found  
in Lertap for Excel 2010 & 2013

Larry Nelson, Curtin University, Australia

---

*This presentation was last updated on: 14 July 2014.*

# The MathsQuiz dataset

MathsQuizPPT1.xlsx - Microsoft Excel

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	Based on data from BilogMG3's exampl01.dat															
2	<b>ID</b>	<b>I1</b>	<b>I2</b>	<b>I3</b>	<b>I4</b>	<b>I5</b>	<b>I6</b>	<b>I7</b>	<b>I8</b>	<b>I9</b>	<b>I10</b>	<b>I11</b>	<b>I12</b>	<b>I13</b>	<b>I14</b>	<b>I15</b>
3	Student 1	2	4	2	3	1	1	4	3	1	4	3	5	2	4	2
4	Student 2	2	4	3	3	2	3	4	1	3	2	1	3	1	3	1
5	Student 3	1	4	2	2	1	2	4	4	1	2	1	2	3	1	2
6	Student 4	3	4	1	2	1	1	3	2	3	2	5	3	5	2	1
7	Student 5	3	4	3	3	2	1	4	1	1	2	1	3	1	1	3
8	Student 6	3	4	1	2	3	2	4	1	3	2	1	1	1	1	4
9	Student 7	3	4	2	4	1	2	4	1	1	2	1	2	1	2	1
10	Student 8	2	4	1	3	1	2	3	2	1	4	4	4	2	3	1
11	Student 9	3	4	1	4	2	2	3	2	3	4	1	1	2	1	1
12	Student 10	3	4	1	4	1	3	4	5	1	2	4	2	3	2	3
13	Student 11	4	4	2	4	2	4	4	1	1	4	1	4	1	1	1
14	Student 12	3	4	2	4	1	2	1	1	2	4	1	3	1	4	1
15	Student 13	3	4	1	3	2	2	2	2	3	4	4	3	3	2	1
16	Student 14	3	4	3	1	1	5	2	1	4	3	1	3	3	5	4
17	Student 15	2	4	1	3	2	1	1	2	3	4	1	3	3	4	9
18	Student 16	3	4	1	3	1	4	4	1	3	4	1	3	1	1	3

These results are from a quiz given to high school maths classes in a Chicago school district.

The students were presented with 15 multiple-choice questions.

Each question had four options.

This slide shows the answers given by the first 16 students.

In total, 999 students took the quiz.

*This is how Lertap 5 typically looks in Excel 2010. The following slides will show how Lertap is used to get results.*

# The Data Worksheet

The screenshot shows the Microsoft Excel interface with the 'Lertap' ribbon tab selected. The ribbon contains several groups of icons: 'Basic options', 'New menu', 'Run menu', 'Graphics trio', and 'Other menus'. A blue arrow labeled '1' points to the ribbon area. Below the ribbon is a data table with 18 rows and 16 columns. The first row is a header row with columns labeled 1 through 16. The second row is a text row: 'Based on data from BilogMG3's exampl01.dat'. The third row is a header row for the data table with columns labeled ID, I1, I2, I3, I4, I5, I6, I7, I8, I9, I10, I11, I12, I13, I14, and I15. The data table contains 16 rows of student data. The row for 'Student 4' is highlighted in yellow, and the cell containing the value '2' in the 'I8' column is also highlighted with a blue border. A blue arrow labeled '2' points to the 'Data' worksheet tab at the bottom of the Excel window.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	Based on data from BilogMG3's exampl01.dat															
2	ID	I1	I2	I3	I4	I5	I6	I7	I8	I9	I10	I11	I12	I13	I14	I15
3	Student 1	2	4	2	3	1	1	4	3	1	4	3	5	2	4	2
4	Student 2	2	4	3	3	2	3	4	1	3	2	1	3	1	3	1
5	Student 3	1	4	2	2	1	2	4	4	1	2	1	2	3	1	2
6	Student 4	3	4	1	2	1	1	3	2	3	2	5	3	5	2	1
7	Student 5	3	4	3	3	2	1	4	1	1	2	1	3	1	1	3
8	Student 6	3	4	1	2	3	2	4	1	3	2	1	1	1	1	4
9	Student 7	3	4	2	4	1	2	4	1	1	2	1	2	1	2	1
10	Student 8	2	4	1	3	1	2	3	2	1	4	4	4	2	3	1
11	Student 9	3	4	1	4	2	2	3	2	3	4	1	1	2	1	1
12	Student 10	3	4	1	4	1	3	4	5	1	2	4	2	3	2	3
13	Student 11	4	4	2	4	2	4	4	1	1	4	1	4	1	1	1
14	Student 12	3	4	2	4	1	2	1	1	2	4	1	3	1	4	1
15	Student 13	3	4	1	3	2	2	2	2	3	4	4	3	3	2	1
16	Student 14	3	4	3	1	1	5	2	1	4	3	1	3	3	5	4
17	Student 15	2	4	1	3	2	1	1	2	3	4	1	3	3	4	9
18	Student 16	3	4	1	3	1	4	4	1	3	4	1	3	1	1	3


1 points to the Lertap tab on the Excel ribbon.

Note that the icons on the tab are organised in sections: “Basic options”, “New menu”, “Run menu”, “Graphics trio”, and “Other menus”.

2 points to worksheets called “Data” and “CCs”. Excel is currently showing the contents of the first 18 rows and 16 columns of the Data sheet.

Student 4 selected option 2 on item I8.

# The CCs worksheet



The CCs sheet is used to set up a Lertap analysis. CCs means “Control Cards”.

This CCs sheet has three “cards”: \*col, \*sub, and \*key.

The \*col card says that answers start in column 2 of the Data sheet, and continue on to column 16.

The res= control “word” on the \*sub card says that this test’s items use options 1, 2, 3, 4 .

The \*key card gives the “keyed-correct” answer for each item. There are 15 entries on this card, one for each of the 15 items.

Read more about CCs cards [here](#).

*Having peeked at the Data and CCs sheets, we’re set to get results. The 1<sup>st</sup> step: click on the “Interpret” option (next slide). NOTE: it’s possible to download this dataset if you want to play along: get it [here](#).*

# The Freqs “report”

The screenshot shows the Microsoft Excel interface with the 'Interpret' option highlighted in the Run menu. Below the menu, the 'Freqs' report is displayed for three items: I1 (c2), I2 (c3), and I3 (c4). Each item's report shows a table of options, their counts (n), and percentages (/999).

Option	n	/999
1	27	2.7%
2	85	8.5%
3	843	84.4%
4	38	3.8%
9	6	0.6%


  

Option	n	/999
1	7	0.7%
2	6	0.6%
3	5	0.5%
4	971	97.2%
5	6	0.6%
9	4	0.4%

Option	n	/999
1	695	69.6%

The 'Freqs' report is visible in the bottom-left corner of the Excel window, with an arrow pointing to it from the bottom of the screen.

Click on the  **Interpret** option on the Run menu. If the CCs cards are all okay, Excel will create a new worksheet called “Freqs”, short for frequencies.

Here we see results for items I1 and I2. The most popular option on I1 was 3, while for I2 it was 4.

What’s a “response” of 9 doing here? In this dataset, a 9 was used if a student did not answer an item. What about a 5? (Six students had a response of 5 on I2.)

These were errors. Bubble sheets were used to get student answers, and some students, probably intending to shade in bubble 4, made a mistake and shaded in the adjacent bubble, 5.

Click here for more about [Freqs](#).

*The Freqs report gives you the chance to check on data quality. Once you’re satisfied that the data are sufficiently free from errors, you’ll move on to the “Elmillon” option to get statistics.*

# The Stats1b table

The screenshot shows the Microsoft Excel interface with the 'Data' menu open. The 'Elmillon' option is highlighted with a blue arrow. Below the menu, a table titled 'Lertap5 brief item stats for "MathsQui", created: 5/05/2012.' is displayed. The table has columns for response percentages (1-4, other) and summary statistics (diff., disc., and a flag column with a red question mark). The 'Stats1b' report is selected in the taskbar at the bottom, indicated by another blue arrow.

Res =	1	2	3	4	other	diff.	disc.	?
I1	3%	9%	84%	4%	1%	0.84	0.26	
I2	1%	1%	1%	97%	1%	0.97	0.12	
I3	70%	15%	8%	2%	5%	0.70	0.35	
I4	10%	4%	35%	50%	1%	0.50	0.41	
I5	28%	59%	3%	6%	5%	0.59	0.47	
I6	54%	12%	14%	6%	15%	0.54	0.47	
I7	10%	11%	50%	28%	1%	0.50	0.47	
I8	21%	57%	4%	10%	8%	0.57	0.36	
I9	26%	4%	62%	3%	4%	0.62	0.51	
I10	5%	47%	7%	40%	2%	0.40	0.42	
I11	47%	2%	3%	46%	2%	0.47	- 0.52	14
I12	20%	17%	16%	14%	12%	0.20	0.42	


The 2<sup>nd</sup> step in a Lertap analysis: click the Elmillon option (blue arrow). This will get Excel to create a variety of statistical summaries.

One of these summaries, the “Stats1b” report, is highlighted when Elmillon finishes. It has two parts: a table with response percentages (seen on the left), and a chart of the item “diff” and “disc” values (next slide).

The last column in the table, **?**, is for item “flags”. This column has entries when the responses to an item do not follow what might be expected. In this example, two of the options for I11 have been flagged, options **1** and **4**. (Click [here](#) for more info.)

The “b” in Stats1b means “brief”. This report is a simple, concise summary of results. It’s easy to have Excel print this report; comments on printing are [here](#).

# The Stats1b plot



Lertap's Stats1b plot of item difficulty, "diff.", by discrimination, "disc.", is shown to the left.

When a test is meant to pick out the strongest students, this plot should not have any disc. values below 0.00.

This one does. I11's discrimination value (disc.) was -0.52. This stems from an error in the \*key card, a "mis-key", as discussed [here](#).

For more plots of this type, see if your mouse will click [here](#).

*Checking for mis-keyed items is obviously important. Errors of this sort reduce a test's reliability and, if not corrected, will lead to further errors when it comes to interpreting and grading student results.*

# The Stats1f summary

The screenshot shows the Microsoft Excel interface with the 'Stats1f' worksheet selected. The report title is 'Lertap5 full item stats for "MathsQui", created: 5/05/2012.'. The report is divided into two sections: 'Summary statistics' and 'reliability (coefficient alpha)'. The 'Summary statistics' section includes: number of scores (n): 999; lowest score found: 0.00 (0.0%); highest score found: 14.00 (93.3%); median: 8.00 (53.3%); mean (or average): 7.67 (51.1%); standard deviation: 2.88 (19.2%); standard deviation (as a sample): 2.89 (19.2%); variance (sample): 8.32. The 'reliability (coefficient alpha)' section includes: number of subtest items: 15; minimum possible score: 0.00; maximum possible score: 15.00; reliability (coefficient alpha): 0.68; index of reliability: 0.83; standard error of measurement: 1.63 (10.8%). A blue arrow points to the 'Stats1f' tab at the bottom of the window.

Summary statistics	
number of scores (n):	999
lowest score found:	0.00 (0.0%)
highest score found:	14.00 (93.3%)
median:	8.00 (53.3%)
mean (or average):	7.67 (51.1%)
standard deviation:	2.88 (19.2%)
standard deviation (as a sample):	2.89 (19.2%)
variance (sample):	8.32

number of subtest items:	15
minimum possible score:	0.00
maximum possible score:	15.00
reliability (coefficient alpha):	0.68
index of reliability:	0.83
standard error of measurement:	1.63 (10.8%)

“Stats1f” is another standard report made by Elmillon. The “f” stands for “full”.

This report has the “Summary statistics” section shown here. The % figures correspond to the adjacent number, expressed as a percentage of the maximum possible test score (15.00). The median of 8.00, for example, corresponds to a percentage score of 53.3%.

As you can see, the reliability of this administration of the test was 0.68. This would be too low if the test was meant to let us pick out the best students with some confidence (in which case we’d probably want a reliability of at least 0.80).

*The reliability of this test was low in part because one of the items, I11, was mis-keyed. Correcting this error will bring the reliability estimate up to around 0.80. More info [here](#).*



# The Stats1ul report

MathsQuizPPT1.xlsx - Microsoft Excel

Lertap5 U-L stats for "MathsQui", created: 5/05/2012.

Res =	1	2	3	4	other	U-L diff.	U-L disc.
<b>I9 upper</b>	0.01	0.01	<u>0.97</u>	0.00	0.01	<b>0.57</b>	<b>0.82</b>
2nd	0.07	0.03	<u>0.90</u>	0.00	0.01		
3rd	0.25	0.02	<u>0.69</u>	0.02	0.01		
4th	0.42	0.07	<u>0.40</u>	0.05	0.07		
lower	0.57	0.08	<u>0.16</u>	0.10	0.10		
<b>I10 upper</b>	0.01	0.14	0.02	<u>0.84</u>	0.00	<b>0.46</b>	<b>0.75</b>
2nd	0.04	0.33	0.05	<u>0.59</u>	0.00		
3rd	0.03	0.58	0.07	<u>0.30</u>	0.02		
4th	0.07	0.65	0.09	<u>0.19</u>	0.01		
lower	0.08	0.66	0.12	<u>0.09</u>	0.05		
<b>I11 upper</b>	<u>0.16</u>	0.00	0.01	0.84	0.00	<b>0.44</b>	<b>- 0.57</b>
2nd	<u>0.34</u>	0.01	0.03	0.63	0.00		
3rd	<u>0.54</u>	0.02	0.02	0.40	0.02		
4th	<u>0.61</u>	0.02	0.05	0.32	0.01		
lower	<u>0.72</u>	0.05	0.06	0.11	0.07		

**Summary group statistics**

	n	avg.	avg%	s.d.	min.	mdn.	max.
upper	199	11.8	79%	1.0	10	12	14
2nd	199	9.3	62%	0.7	8	9	10
3rd	203	7.6	50%	0.5	7	8	8
4th	199	5.8	39%	0.7	5	6	7
lower	199	3.8	25%	1.0	0	4	5
everyone	999	7.7	51%	2.9	0	8	14

Stats1b csem1 Stats1ul

Ready Count: 0 Sp: 0 100%

“Stats1ul” is also a standard report made by Elmillon. The “ul” stands for “upper-lower”.


Students have been grouped according to test score. The top 20% are in the “upper” group, while the bottom 20% are in the “lower”. Altogether there are 5 groups in this report.

This provides another way of looking at item quality. If an item is meant to pick out the top students, then we’d want the pattern seen for I9, whose correct answer was 3 (underlined). In the upper group, 97% got this item correct, dropping to just 16% in the lower group. I10’s pattern is similar (4 was the correct answer on I10).

But I11 has a problem. The correct answer appears to be 1. Wrong! An error was made on the CCs \*key line: the right answer for I11 is 4, not 1.

Stats1b or Stats1ul. Which to use? Either. Both. They look at the same thing, item quality, from unique angles. Have a read of [Chapter 2](#) in the manual when you have a chance.

# Quintile plots



See where the blue arrow is in the picture to the left? It's pointing to the "Res. Charts" option (Response Charts).

Click on it to get pictures of how the test items have performed, as exemplified here for items I9 and I10 (two of the best-performing items in our little maths quiz).



The information in these handy little snapshots is taken directly from Stats1ul results.

Items which are meant to pick out the best students should have graphs like these. In the lower group(s), few students will have the nous required to pick out the right answer, while the top, or "upper", students should have little trouble.

Bone up on these plots by having a read of [this stuff](#).

# Scores!



	ID	MathsQui
1000	Student 998	6.00
1001	Student 999	5.00
1002	n	999
1003	Min	0.00
1004	Median	8.00
1005	Mean	7.67
1006	Max	14.00
1007	s.d.	2.88
1008	var.	8.32
1009	Range	14.00
1010	IQRRange	5.00
1011	Skewness	0.09
1012	Kurtosis	-0.75
1013	MinPos	0.00
1014	MaxPos	15.00



The "Scores" worksheet is another Emillon product. The histogram on the right was made by clicking on the "Histograms" option (natch!).

*When scanners are used to process student response sheets, it's not uncommon to find a student or two with a valid ID, but no item responses. These "bad records" will usually show up at the left of a histogram. Read [this topic](#) for an example.*

# What's been done to here

- We started with a display of a typical Lertap dataset: an Excel workbook with two worksheets, "[Data](#)", and "[CCs](#)". The workbook was named "MathsQuizPPT.xlsx".
- You didn't see me, but I clicked on the  option. This is always the first step when results are wanted. This produced the "[Freqs](#)" report.
- Again behind the scenes, I clicked on the  option. This added several new worksheets, or "reports", to the workbook: Stats1b, Stats1f, Stats1ul, and Scores.
- I showed you two views of the Stats1b report, the [table view](#), and the [plot view](#). These views provide a concise summary of how the items performed.
- Then we looked at the [summary section](#) of the Stats1f report to check on test reliability.
- The Stats1ul report provides another way to examine item performance; it's an alternative (or complement) to Stats1b ([see it again](#)).
- Next, I wowed you by getting some [quintile plots](#). These provide one more way to see how the items functioned, and are very popular.
- Finally I had you look at the Scores worksheet, with a histogram ([see it again](#)).

*Was the MathsQuiz a good test? Can its results be used to pick out the best students? No. An error was made when the CCs \*key line was created. Item I11's key was not correct and, as a result, the reliability was low. Is it possible to fix this error? But of course. Easy. (Click [here](#) for more info.)*

## What has not been done to here

- I did not show you how to process results from mastery, criterion-referenced, and pass-fail tests, often used in licensing and certification. Read about this [here](#).
- These slides have looked at a cognitive test. Lertap will also process results from affective instruments, such as surveys and rating scales. Click [here](#).
- When there are groups of students, such as males and females, or from various regions, Lertap has [options](#) to look at group differences at two levels: test scores, and item responses. When there are just two groups, Lertap will open the door so that the possibility of differential item functioning (DIF) may be investigated.
- Cheating detection is found in Lertap's "[RSA](#)" routine (response similarity analysis).
- An item intercorrelation matrix may be created, and its first principal component extracted. More [here](#).
- Data may be [imported](#) from ASCII text files, and [exported](#) to programs such as SPSS, Bilog-MG, Iteman, and Xcalibre.
- More: [recode](#) data; [formula scoring](#); data [sampling](#); [printing](#).
- I didn't rave on about other available resources, such as the main website at [Lertap.com](#), a spiffy website with [sample data](#), some neat [tips and tricks](#), the [manual](#), and comprehensive [online help](#). The commercial outlet at Lertap.com is [here](#).
- And there's me, [larry@lertap.com](mailto:larry@lertap.com).